

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

1/11




FIGURE 1

2/11




FIGURE 2

3/11




FIGURE 3(a)






FIGURE 3(b)

4/11



(a) $T_2 = 10$ ms for a 90° pulse with 2 ms rephasing time, $\delta_2 = 0.1$, and 0.2 KHz transition width.



(b) $T_2 = 10$ ms for a 90° pulse with 4 ms rephasing time, $\delta_2 = 0.01$, and 0.15 KHz transition width.

FIGURE 4

5/11




FIGURE 5(a)

6/11




FIGURE 5(b)

7/11




FIGURE 5(c)

8/11




FIGURE 5(d)

9/11






FIGURE 6


10/11




(a) The minimum energy pulse with magnetization profile M .



(b) The pulse with magnetization profile M , and a bound state at $0.5i$ with norming constant 1.0.



(c) The pulse with magnetization profile M , and bound states at $0.5i + 1.4i$, and $1.0i - 1.0i$, with norming constants: 1, and -10 .



(d) The pulse with magnetization profile M , and bound states and $i - 1$, i , and $i + 1$, and norming constants 1/2, and 1.

FIGURE 7

11/11




FIGURE 8 (a) Minimum energy pulse.




FIGURE 8(b) Transverse magnetization profile.